Provide all known, Row I Administrative Data	Reporter Name		Submission date.	Contact		142972	Interna 1-1150	
	Address		Address			_!		
	Florida							
	Phone #			Phone #				
	Incident Status:  New  Location and Florida Chronic		date of incident  Date registrant became aware of incident. 6/14/2004			Was incident part of larger study? No		
Row 2	EPA Registration # (Proc	luct 1)	EPA Registration	n # (Product 2)	Hillion and the second	EPA Registration #	(Product	t 3
Pesticide(s) Involved	62719-4							
	A.I. (s)		A.I. (s)			A.I. (s)		
	Sulfuryl Fluoride							
	Product 1 name		Product 2 Name			Product 3 Name		
	Vikane							
	Exposed to concentrate prior to dilution? No		Exposed to concentrate prior to dilution?			Exposed to concentrate prior to dilution?		
Pow 2	Formulation Evidence label	Incident cite	Formulation	ida homa, vard	Formulation  e home, yard, Situation (act of using product)		duct): (av	/ample
Row 3 Incident Circumstances	directions were not followed? No Intentional misuse? No	e (examples include home, yard, strial, nursery/greenhouse, r, commercial turf, ce, forest/ woods, agricultural b) right-of-way (rail, utility,		includ applic maint	de mixing/loading, recation, transportation tenance of application facturing/ formulating	entry, , repair/ 1 equipmi		
	Applicator certified PCO? Not applicable	highway)).  Other Resid	ence		See I	Description Notes		
	How exposed: (examples include direct contact with treated surface, ingestion, spill, drift, runoff)						Date: 10-0	Report: Yes
	See Incident Description						13.04	
	1						3.04	

Brief description of incident circumstances.

6/14/2004 3:16:25 PM Hx: Caller asks for test to detect exposure to sulfuyrl fluoride. MD is treating a patient with difficulty breathing. Patient has not complained of respiratory irritation just SOB. Caller believes patient reentered his home on 10 June. Since then he has suffered from SOB. He is now in MD office.

Rec: There is not test to detect sulfuyrl fluoride in body tissues. This is a cellular poison and affects high metabolic areas in body first such as brain and heart. Also there is a warning gas mixed with Vikane. Inhalation of warning gas elicits respiratory irritation. Thus we would expect that sym if an exposure occurred.

Also, your patient would not be allowed into his home unless sulfuryl fluoride conc in house were at a safe level. Will fax MSDS.

6/22/2004 2:25:43 PM Left message requesting follow-up regarding this patient.

Voluntary Industry Reporting Form for 6(a)(2) Incident Information Involving Humans

Provide all known, required informat	tion. If required data field information	is unknown, designate as such in appro	priate area. Page# 3of 3								
Demographic information: Age: 32 Years Sex: Male Occupation (if relevant)	Exposure route: Unknown	Was adverse effect result of suicide/homicide or attempted suicide/homicide?	Was protective clothing worn (specify)?								
Cocupation (if Televant)		No	Not applicable								
If female, pregnant?	Was exposure occupational?	Time between exposure and	7								
DNQ	No 15 15 15 15 15 15 15 15 15 15 15 15 15	onset of symptoms:									
	If yes, days lost due to illness:	See Symptoms									
Type of medical care sought:	List signs/symptoms/adverse effe	ects	If lab tests were performed,								
(examples include none, clinic,		list test names and results (If									
hospital emergency department, private physician, PCC,	Shortness of breath - Unable to determine		available, submit reports)								
hospital inpatient).			None Reported								
HCF			,								
	-										
Exposure data: Amount of pesticide:											
Exposure duration:											
Weight:											
UNK											
Human severity category:	-										
HC											
This box can be used to provide any	explanatory or qualifying information	surrounding the incident. (add addition	nal pages if necessary)								
Re-entry into a treated dwelling is not permitted until Vikane levels drop below 5 ppm, a level known to be well below the threshold for potential toxicity. Chloropicrin, a lacrimating warning agent, is also used with Vikane and may produce eye irritation and upper respiratory irritation. Chloropicrin would typically have dissipated by the time the tenants returned to the residence.											
			Internal ID#								
			1-11500912								
1			<u> </u>								